

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).

Reviewer: markspencer

Timestamp: Thu Jul 26 13:53:40 EDT 2007

=====

Application No: 10575962 Version No: 1.0

Input Set:

Output Set:

Started: 2007-07-26 10:19:40.855
Finished: 2007-07-26 10:19:41.016
Elapsed: 0 hr(s) 0 min(s) 0 sec(s) 161 ms
Total Warnings: 1
Total Errors: 0
No. of SeqIDs Defined: 5
Actual SeqID Count: 5

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (2)

SEQUENCE LISTING

<110> Deutsches Krebsforschungszentrum (DKFZ)

<120> Rapid determination and quantification of mycoplasma contamination using DNA chip technology

<130> DK62217PC

<140> 10575962

<141> 2007-07-26

<150> EP 03 023 512.1

<151> 2003-10-15

<160> 5

<170> PatentIn version 3.1

<210> 1

<211> 20

<212> DNA

<213> Mycoplasma

<400> 1

acaccatggg agctggtaat

20

<210> 2

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> T7 phage

<400> 2

taatacgact cactataggg

20

<210> 3

<211> 27

<212> DNA

<213> Mycoplasma

<220>

<221> misc_feature

<222> (5)..(5)

<223> "a" or "t"

<220>

<221> misc_feature

<222> (13)..(13)

<223> "t" or "c"

<400> 3

cttctcgcac ttncagaccc aaggcat

27

<210> 4

<211> 18

<212> DNA

<213> Mycoplasma

<400> 4

gttctttgaa aactgaat

18

<210> 5

<211> 18

<212> DNA

<213> Mycoplasma

<220>

<221> misc_feature

<222> (11)..(11)

<223> "a" or "t"

<220>

<221> misc_feature

<222> (13)..(13)

<223> "a" or "t"

<400> 5

gcatccacca nanactct